

Safety Data Sheet dated 28/5/2023, version 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: FONDALACK BIANCO

Trade code: 3281

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product type and use: Paint/Coating product

1.3. Details of the supplier of the safety data sheet

Supplier:

INVEBI S.r.I. industrie vernici - Via varesina, 78/B - 21040 Jerago con Orago (varese) - italy

Tel. +39 0331.218018 - 217004 - Fax. +39 0331.216484

Competent person responsible for the safety data sheet:

lab@invebi.it

1.4. Emergency telephone number

INVEBI S.r.I. industrie vernici - Tel. +39 0331.218018 - 217004 - Fax. +39 0331.216484 Poison Centre - Ospedale di Niguarda - Milan - Tel. +39 02.66101029

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

Warning, Flam. Liq. 3, Flammable liquid and vapour.

Warning, Skin Irrit. 2, Causes skin irritation.

Warning, Eye Irrit. 2, Causes serious eye irritation.

DECL10: This titanium dioxide-containing product is not classified as carcinogen by inhalation because it does not meet the criteria stated in Note 10, Annex VI of Regulation (EC) 1272/2008. Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter <= $10 \ \mu m$.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P264 Wash Skin Thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use ... to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

Special Provisions:

3281/5 Page n. 1 of 9

None

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

The product is a liquid that can catch fire at temperatures in excess of 21 C if exposed to an ignition source.

The product is harmful following acute exposure to it and poses a serious health threat if inhaled or brought into contact with the skin.

If brought into contact with the skin, the product causes appreciable inflammation, with erythema, scabs, and oedema.

The product is harmful: may cause lung damage if swallowed.

SECTION 3: Composition/information on ingredients

- 3.1. Substances N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number		Classification
>= 25% - < 30%	XILOLO (F.P. +24°)	Index number: CAS: EC: REACH No.:	1330-20-7 215-535-7	 2.6/3 Flam. Liq. 3 H226 3.2/2 Skin Irrit. 2 H315 3.1/4/Dermal Acute Tox. 4 H312 3.1/4/Inhal Acute Tox. 4 H332
>= 0.1% - < 0.25%	Propilindintrimetanolo	CAS: EC:	77-99-6 201-074-9	♦ 3.7/2 Repr. 2 H361

SECTION 4: First aid measures

- 4.1. Description of first aid measures
- In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

- In case of eyes contact:
 - After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.
 - Protect uninjured eye.
- In case of Ingestion:
- In case of Inhalation:
 - Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed
 - None
- 4.3. Indication of any immediate medical attention and special treatment needed
 - In case of accident or unwellness, seek medical advice immediately (show directions for use or

3281/5

Page n. 2 of 9

safety data sheet if possible). Treatment: None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: CO2 or Dry chemical fire extinguishe. In case of fire: Use ... to extinguish. Extinguishing media which must not be used for safety reasons: None in particular.

- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters

Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove all sources of ignition. Remove persons to safety. See protective measures under point 7 and 8.
- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

- Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities
 - Always keep in a well ventilated place.

Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight. Keep away from food, drink and feed.

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

3281/5 Page n. 3 of 9

7.3. Specific end use(s) None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters o-xylene - CAS: 1330-20-7 - OEL Type: EU - TWA(8h): 221 mg/m3, 50 ppm - STEL: 442 mg/m3, 100 ppm - Notes: Skin - OEL Type: ACGIH - TWA(8h): 20 ppm - Notes: A4, BEI - URT and eye irr; hematologic eff: CNS impair **DNEL Exposure Limit Values** N.A. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eye protection: Use close fitting safety goggles, don't use eye lens. Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands: Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid		
Colour:	FLUIDO White		
Odour:	of solvent		
Solid content:	74%+-1		
Specific weight:	1.54		
Flammability:	Flam. Liq. 3, H226		
Lower and upper explosion limit:	N.A.		
Flash point °C:	24 ° C		
Auto-ignition temperature:	No		
Decomposition temperature:	N.A.		

3281/5 Page n. 4 of 9

pH:	N.A.		
Kinematic viscosity:	N.A.		
Solubility in water:	No		
Solubility in oil:	N.A.		
Partition coefficient n- octanol/water (log value):	N.A.		
Vapour pressure:	N.A.		
Density and/or relative density:	N.A.		
Relative vapour density:	N.A.		
Particle characteristics:			
Particle size:	N.A.		

9.2. Other information

Properties	Value	Method:	Notes:
Viscosity:	ford n 8 a 20C=60"+-3"		

SECTION 10: Stability and reactivity

10.1. Reactivity

- Stable under normal conditions
- 10.2. Chemical stability Stable under normal conditions
- 10.3. Possibility of hazardous reactions
- None
- 10.4. Conditions to avoid
 - Stable under normal conditions.
- 10.5. Incompatible materials
 - Avoid contact with combustible materials. The product could catch fire.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Toxicological information of the product:
 - FONDALACK BIANCO
 - a) acute toxicity
 - Not classified
 - Based on available data, the classification criteria are not met
 - b) skin corrosion/irritation
 - The product is classified: Skin Irrit. 2 H315
 - c) serious eye damage/irritation
 - The product is classified: Eye Irrit. 2 H319
 - d) respiratory or skin sensitisation

3281/5 Page n. 5 of 9

Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met g) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met i) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met i) aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: o-xylene - CAS: 1330-20-7 **OSSERVAZIONI SULL'UOMO** ESPOSIZIONE NON PROFESSIONALE - Effetti a seguito di esposizione acuta: Sintomi di forti esposizioni sono: dermatiti, eczema, irritazioni degli occhi e del tratto respiratorio. L'inalazione dei vapori può causare vertigini, mal di testa, nausea, incordinazione, eccitabilità, narcosi, anemia, parestesie delle mani e dei piedi. ESPOSIZIONE PROFESSIONALE - Effettia seguito di esposizione acuta: Narcotico ad alte concentrazioni. Irritazione per inalazione a 200 ppm (TCLo). L'inalazione di 200 ppm causa effetti irritanti sull'uomo. Uomo (orale)(LDLo): 50 mg/kg. Inalatoria uomo (LCLo) 10000 ppm/6h.

11.2. Information on other hazards

Endocrine disrupting properties: No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt sound working practices, so that the product is not released into the environment.

FONDALACK BIANCO

Not classified for environmental hazards

Based on available data, the classification criteria are not met

12.2. Persistence and degradability None

N.A.

- 12.3. Bioaccumulative potential N.A.
- 12.4. Mobility in soil

N.A.

- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None PBT Substances: None
- 12.6. Endocrine disrupting properties
- No endocrine disruptor substances present in concentration >= 0.1% 12.7. Other adverse effects
 - None

3281/5

Page n. 6 of 9

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number ADR-UN Number: IATA-UN Number: IMDG-UN Number:	1263 1263 1263			
14.2. UN proper shipping name ADR-Shipping Name:	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)			
IATA-Shipping Name:	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)			
IMDG-Shipping Name:	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)			
14.3. Transport hazard class(es)				
ADR-Class:	3			
ADR - Hazard identification nu	mber: 30			
IATA-Class:	3			
IATA-Label:	Flamm. Liquid			
IMDG-Class:	3			
14.4. Packing group				
ADR-Packing Group:				
IATA-Packing group:				
IMDG-Packing group:				
14.5. Environmental hazards				
ADR-Enviromental Pollutant:	No			
IMDG-Marine pollutant:	No			
IMDG-EmS:	F-E , S-E			
14.6. Special precautions for user	, <u> </u>			
ÁDR-S.P.:	640E			
ADR-Transport category (Tunr	nel restriction code): (D/E)			
IATA-Passenger Aircraft:	355			
IATA-Cargo Aircraft:	366			
IATA-ERĞ:	3L			
IMDG-Stowage and handling:	A			
14.7. Maritime transport in bulk according to IMO instruments				
N.A.				

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878

3281/5 Page n. 7 of 9

Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EU) n. 2021/849 (ATP 17 CLP) Regulation (EU) n. 2022/692 (ATP 18 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3 Restriction 40** Restrictions related to the substances contained: Restriction 75 UE(dir 2004/42/CE) Pronto all'Uso / Ready to use Volatile Organic compounds - VOCs = 26.42 % Volatile Organic compounds - VOCs = 406.85 g/l Volatile CMR substances = 0.00 % Halogenated VOCs which are assigned the risk phrase R40 = 0.00 % Organic Carbon - C = 0.24 Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1

Product belongs to category: P5c 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Text of phrases referred to under heading 3: H226 Flammable liquid and vapour. H315 Causes skin irritation. H312 Harmful in contact with skin. H332 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3

Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Repr. 2	3.7/2	Reproductive toxicity, Category 2

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification SECTION 3: Composition/information on ingredients SECTION 15: Regulatory information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Flam. Liq. 3, H226	On basis of test data
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

NIOŠH - Registry of toxic effects of chemical substances (1983)

I.N.R.S. - Fiche Toxicologique

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.